



## Key Steps

Follow these instructions  
alongside the installation video  
in your order email.


## YOUR BATTERY

**IMPORTANT:** Use your charger with this kit only. It is not configured to work with laptops, phones or other devices.



## CHARGING

- 1 Plug in at the mains then attach USB-C to battery port.



Battery is fully-charged when red light on the charger goes green.

- 2 Align battery port with holder port for a snug fit and lock securely. Remove battery when recharging.



**BEEP!**

- 3 Audible beeps indicate a snug connection when back in the holder.

**BEEP!**

- 4 Battery auto sleeps and awakes. To reset, use pin attached to keys for 7 seconds. You will hear a beep followed by green lights to indicate battery is on. Wake up by tapping top rim of battery or fit into the holder and listen for beep.



## YOUR APP

**IMPORTANT:** Once your app has connected and been calibrated, the kit will memorise your last setting. If you don't need to adjust your assistance, you don't need to connect your phone next time you ride.




**1** Download and install the WePower app to your smartphone.




Battery is fully-charged when red light on the charger goes green.

**2** Click the magnifying glass (top right) then select your kit from the list.



**3** Click the settings cog (top left) then select Gyro Angle Calibration



**4**



Place your bike on flat, level ground and hold bike straight.

Press the button.

# TROUBLESHOOTING

Gremlins can happen. This is likely to be a software/app issue than a mechanical issue. Should your ride experience a change, follow these steps to refresh your software.





1



Place bike on flat, level ground and hold straight.









2

Click the settings cog (top left)



Check your settings:

- speed limit
- fault detection
- wheel restart
- firmware update

-  The wheel is installed as per the video with the cable on the right hand side.
-  The battery is installed as per the video on the downtube.
-  When connecting the app, I used the magnifying glass (top right)
-  I have no other devices connected to the Bluetooth.
-  When calibrating, the bicycle is on level ground and is kept vertical.
-  When riding, the assist mode is Manual and the assist level set to 50~99%.
-  If the bike is equipped with shock absorption, the shock is locked.
-  I have the latest firmware installed.